Directions for use

TRANSPARENT POWDER Transparent Powder

Grimas Transparent Powder is a loose powder. Transparent Powder is used by make-up artists to fix and give a matt finish to Grimas Crème Make-up Pure and Derma Wax. Transparent Powder has a white colour of its own and becomes transparent on contact with waxes and oils (as are used in Grimas Crème Make-up Pure for example).

Transparent Powder is not suitable for the dark skin (turns greyish). Use for the dark skin Grimas Make-up Powder or Colour Powder.


Procedure

Transparent Powder can be applied with a Grimas Velour Powder Puff, a Powder Puff or a Powder Rouge Brush. Gently tap the puff or brush on the back of the hand and then apply lightly on top of the make-up. Allow to settle in and remove excess powder with a Powder-Rouge Brush.

Grimas B.V. | www.grimas.nl | Nijverheidsweg 31 | 2102 LK Heemstede | Holland Phone.: +31 (0)23 529 01 55 | e-mail: grimas@grimas.nl | KvK: 34051942

Safety information

TRANSPARENT POWDER Transparent Powder



| More information: | Version: 1006 10 en |
|-------------------|---------------------|
| www.grimas.nl | version: 1000_10_en |

Composition

TRANSPARENT POWDER Transparent Powder

| INCI | <% |
|---|------|
| Talc | 80 |
| Calcium carbonate, Magnesium carbonate hydroxide, Zinc stearate | 30 |
| Phenoxyethanol | 0.45 |
| Methylparaben | 0.05 |

The ingredients that are present in the product in the greatest proportions are listed first.

Ingredients that are present in the product to less than 1%, are listed in random order at the end of the list. Then the pigments and colorants are addressed, even if they are used in large quantities.

< is less than.

Dermatological declaration

TRANSPARENT POWDER Transparent Powder

In the dermatological declaration one can read the following: The products have been dermatologically tested for 24, 48 and 72 hours on 30 persons with healthy skin. No irritation occurred.

CONCLUSIONS

Under the conditions of this test we found no evidence of primary irritation or allergic hypersensitivity.

None of the thirty patch-tests resulted in positive reactions after 24, 48 and 72 hours.

The investigating specialist for dermatology and allergology considers this test-product safe for use.



Investigating specialist for dermatology and allergology

Safety declaration

Has been evaluated at:

The toxicity profile of the ingredients used, taking account of any contaminants present.

Interactions between the various raw materials.

Quantities of weight and volume the consumer is exposed to.

Foreseeable improper use by the consumer-group.

E. Groeneveld, MSc, B
Toxicology & Ecotoxicology

G.J. van Huizen

Grimas B.V. | www.grimas.nl | Nijverheidsweg 31 | 2102 LK Heemstede | Holland Phone.: +31 (0)23 529 01 55 | e-mail: grimas@grimas.nl | KvK: 34051942

More information: **Vers www.grimas.nl**

Version: 1006_10_en